TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Is. Lt. Station Newport R.I. MONTH OF September

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	3,610		335	20	8,400		
EXPENDED	290		60	0	3,500		
REMAINING	3,320		275	20	4,900		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

		RADIO BEACON		
	FOG SIGNAL	LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,356.50 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	171.00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,527.50 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
16586		X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rks Light Station	547	Good	NONE

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT
Vincent R.Roy BM-1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 1 September 1961 (Insert day of week, day, month, year) LOCATION Newport RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2998		68	BC	AS/ST	10	8		
0400	SW	1	2997		70	BC	AS/ST	10	7		
0800	SW	1	2996		74	F	NS	10	4		
1200	SW	2	29.96		86	BC	AS/ST	10	8		
1600	SW	2	29.90		81	BC	AS/ST	10	6		
2000	SW	2	29.90		74	F	NS	10	4		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,610	20	8400
EXPENDED	10	—	200
REMAINING	3,600	20	8,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0600	0830	2	30	15
1800	2400	6	00	15
TOTAL FOR DAY		8	30	15
TOTAL FOR MONTH		8	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked ALL A/N UIS
0400 - Checked ALL A/N UIS
0600 - STARTed Foghorn & gull Rocks BeLL,
0800 - MoRNING COLORS, QUARTERS, TURNed To
0830 - Secured Foghorn, gull Rock, BeLL & MAIN LIghT off
1030 - CG 16585 departed enroute Newport with
~~10~~ liberty party.
1100 CG16585 moored station
1200 Chowdown
1300 Turned to
1600 Secured from Station work
1630 CG16585 departed enroute Castle Hill for electrician
1730 CG16585 moored with elect.
1830 Started fog horn & Gull Rocks bell, main light on
1845 CG16585 departed with elect.
1930 CG16565 moored station
2000 All a/n not vis

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 2 September 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2998		72	O.F	NS	6	6		
0400	SW	1	29.98		74	OF	NS	8	5		
0800	SW	1	29 97		76	OF	NS	10	4		
1200	SW	2	29.95		83	OF	NS	10	5		
1600	SW	1	29.95		76	FR	NS	10	4		
2000	NNE	1	30.00		76	OF	NS	10	5		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3600	20	8200
EXPENDED	10	—	100
REMAINING	3590	20	8100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished CONT Time Lighted CONT

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0100	1	00	15
0300	2130	18	30	15
TOTAL FOR DAY		19	30	15
TOTAL FOR MONTH		28		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N Not Vis. due To Fog

0400 Checked All Vis A/N

0100 Secured Fog horn & Gull Rock bell

0300 Started fog horn & Gull Rocks bell

0800 Morning colors, quarters, turned to

1200 Chow down

1300 Turned to

1600 Secured from station work.

2000 Checked all a/n vis

2130 Secured Fog horn and Gull Rks. Bell

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Ray
(Officer in Charge)

Digital Surrogate of NARA Original Record - NND 988096

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 3 September 1961 (Insert day of week, day, month, year) LOCATION Newport RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	30.06		68	BC	AS/ST	10	8		
0400	N	1	30.00		72	O	ST	10	7		
0800	CALM		30.01		75	O	ST	10	7		
1200	N	1	30.01		78	O	ST	10	7		
1600	N	1	29.95		77	O1	ST	10	6		
2000	SW	1	2997		72	O	ST	10	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3590	20	8100
EXPENDED	10	—	100
REMAINING	3580	20	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1030 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0600	1030	4	30	15
2330	2400		30	15
TOTAL FOR DAY		5	00	15
TOTAL FOR MONTH		33	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 checked Vis A/N
0600 started Fog horn & Gull Rks Bell
0800 Morning Colors
1030 Secured Fog Horn and Gull Rks Bell also Main Light
1200 Chow Down
1600 Checked Vis A/N
1615 Found CiviLIAN Tampering With North Bell of Goat Island Informed Castle Hill of Same
1900 Main light on Evening colors
2000 Checked all a/n vis
2010 Power secured
2011 Power on
2330 Started Foghorn & Gull Rks Bell

W. J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Ray
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 4 Sept 61 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2997		68	OF	AS ST	10	3		
0400	SW	1	2996		72	OF	AS ST	10	3		
0800	SW	1	2996		76	OF	AS ST	10	2		
1200	SW	2	29.92		76	OF	ASST	10	2		
1600	SW	2	29.86		74	OZ	ASST	10	6		
2000	SW	2	29.89		74	OF	ASST	10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3580	20	8000
EXPENDED	10	–	100
REMAINING	3570	20	7900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1400 Time Lighted 1930

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	1400	14		15
1930	2400	4	30	15
TOTAL FOR DAY		18	30	
TOTAL FOR MONTH		51	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N NoT Vis Fog

0400 All A/N NoT Vis Fog

0800 Morning Colors

1100 CG16585 departed station for liberty party

1200 Chow down

1200 CG16585 moored station with Roy BM-1 & Adams SA.

1400 Secured Main light, Gull RK's bell, Foghorn

1600 Secured from station work

1900 Main light ON

1915 Evening colors

1930 Fog horn ON, Gull RK's bell ON

2000 Check All A/N NOT UPS

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 5 Sept 61 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	2	29.90	68		OF	ASST	10	0	—	—
0400	SW	2	29.87	68		OF	ASST	10	0	—	—
0800	SW	2	29.89	80		OF	ASST	10	5	—	—
1200	SW	2	29.88	88		OZ	ASST	10	5	—	—
1600	SW	2	29.84	80		OZ	ASST	10	5	—	—
2000	Calm		29.89	75		OZ	ASST	10	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3570	20	7900
EXPENDED	10	—	100
REMAINING	3560	20	7800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL	1	
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0830 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
2400	0830	8	30	15
TOTAL FOR DAY		8	30	
TOTAL FOR MONTH		60	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N Not U/S
0400 All A/N Not U/S
0800 Colors, quarters, turned to
0830 Secured main light, Gull RKS bell & foghorn
1200 Chow down
1300 Turned to
1600 Secured from station work
1845 Main light on
1915 Colors
2000 All A/N U/S

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 6 September 1961 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CA	LM	29.90	-	65	OZ	ASST	10	3	-	-
0400	CA	LM	29.89	-	68	OZ	ASST	10	3	-	-
0800	N	2	29.99	-	76	BC	ASST	10	8	-	-
1200	N	1	30.02	-	86	BC	AS/ST	10	8	-	-
1600	N	1	30.00	-	81	BC	AS/ST	10	8	-	-
2000	N	1	30.04	-	74	BC	AS/ST	10	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3560	20	7800
EXPENDED	10	-	100
REMAINING	3550	20	7700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0100	0130		30	15
0315	0345		30	15
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		61	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N Not U/S
0100 foghorn started & Gull RKs bell
0130 Secured foghorn & Gull RKs bell
0315 Started foghorn & Gull RK's bell
0345 Secured foghorn & Gull RK's bell
0400 All A/N U/S
0600 Secured Main light
0800 Morning colors, quarters, turned to
0805 CG16585 departed to pick up mail, chow and liberty party
0830 CG16585 moored station with Murphy Jr.
1200 Chow down
1300 turned to
1600 Secured from Station work
1900 Main light on
1915 Colors
2000 Checked all a/n u/s

W. J. Murphy Jr.

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 7 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	30.08		68	BC	AS/ST	8	8		
0400	N	1	30.12		64	F	NS	8	1		
0800	N	1	30.16		76	BC	AS/ST	8	8		
1200	CALM		30.16	—	80	BC	AS/ST	3	8		
1600	SW	1	30.12	—	75	BS	AS/ST	8	8		
2000	S	1	30.12	—	70	BC	AS/ST	8	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3550	20	7,700
EXPENDED	10	—	100
REMAINING	3540	20	7,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0400	0630	2	30	15
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		63	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all A/N vis

0400 Checked all a/n vis
Started fog horn & gull rocks bell

0630 Main light secured
Secured fog horn & Gull rocks bell

0800 Morning colors, quarters, turned to

1200 Chow down

1300 turned to

1600 Secured from Station work

1930 MAIN LIGHT ON. EVENING COLORS.

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 8 September 1961 (Insert day of week, day, month, year) LOCATION Portsmouth R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	30.14	—	63	BC	NS ~~8~~	7	8	—	—
0400	S	2	30.14	—	65	BC	NS ~~8~~	9	8	—	—
0800	SE	2	30.14	—	67	O	NS	10	8	—	—
1200	SE	1	3014	—	78	BC	ASST	6	8	—	—
1600	SW	2	30.14	—	75	BC	ASST	6	8	—	—
2000	SW	1	3014	—	71	BC	ASST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3540	20	7,600
EXPENDED	5	—	100
REMAINING	3535	20	7,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All Vis A/N
0400 Checked All Vis A/N
0630 Secured Main Light
0800 Morning Colors.
1200 Chow down
1230 Roy BM-1 on liberty & Murphy FN
1600 Secured station work
Checked Vis. A/N
1900 Turned on Main Light
1915 Evening Colors
2000 Checked Vis. A/N

Louis G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 9 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3012		70	BC	ASST	7	8		
0400	SW	1	3010		71	BC	ASST	7	7		
0800	Calm		3010		72	BC	ASST	7	7		
1200	SW	1	3008		79	BC	ASST	7	6		
1600	SW	2	3004		78	BC	ASST	7	6		
2000	SW	2	3000		68	BC	ASST	7	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3535	20	7,500
EXPENDED	5	—	100
REMAINING	3530	20	7400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0630 Secured Mainlight
0800 Morning Colors, Turn To Station Work
1200 Chow Held Station Inspection
1600 Checked Vis A/N
1900 Turned on Main Light
1903 Evening Colors
2000 Checked Vis A/N

Louis G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 10 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	30.01		70	BC	ASST	10	7	—	—
0400	N	2	30.00		71	OZ	ASST	10	7	—	—
0800	SW	2	30.00		79	OF	NS	10	5	—	—
1200	CAlm		30.00		89	BC	ASST	10	8	—	—
1600	SW	2	29.96		83	BC	ASST	10	4	—	—
2000	SW	2	29.94		75	BZ	ASST	10	4	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3530	20	7,400
EXPENDED	10	—	100
REMAINING	3520	20	7,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0900 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0630	0900	2	30	15
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		66	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N Ui's
0400 Checked All A/N Ui's
0630 Turned ON foghorn & Gull Rk's bell
0900 Secured Main light & Gull Rk's bell & foghorn
0800 Colors, quarters, turned to
1200 Chow down
1600 Secured from station work & All A/N Ui's
2000 Check All A/N Ui's
1845 Main light on
1900 Colors

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 11 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.94	–	70	O/F	NS	10	0		
0400	SW	2	29.94	–	68	O/F	NS	10	0		
0800	SW	2	2990	–	67	OF	NS	10	0		
1200	SW	3	2989	–	70	OF	NS	10	0		
1600	SW	3	29.88	–	76	OF	NS	10	0		
2000	SW	2	2989	–	76	BC	AS/ST	9	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3520	20	7,300
EXPENDED	10	–	100
REMAINING	3510	20	7,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 1000 Time Lighted 1500

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1000	10	–	15
1500	1830	3	30	15
TOTAL FOR DAY		13	30	
TOTAL FOR MONTH		79	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 TURNEd. ON FOG SIGNAL ANd. GULL RKS BELL
ALL A/N NOT VIS.
0400 ALL A/N NOT VIS
0800 MORNING COLORS
0830 murphy FN RETURNEd. FROM LIBERTY ON TIME
1000 SECURED FOG SIGNAL AN GULL RKS BELL
And. main LIGHT
1130 Adams SA. DEPARTEd. ON LIBERTY
1500 TURNEd. ON FOG HORN GULL RKS BELL And.
MAIN LIGHT
1830 SECUREd. FOG HORN & GULL RKS BELL.
1900 Colors

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 12 September 1961 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.90	–	74	h	NS	10	7		
0400	SW	2	29.93	–	72	OF	NS	10	0		
0800	SW	2	2993	–	72	O/F	NS	10	0		
1200	SW	2	29.91	–	86	O/F	NS	10	3		
1600	SW	2	29.88	–	81	O/H	AS/ST	3	6		
2000	SW	1	2989	–	72	O/H	AS/ST	5	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3510	20	7,200
EXPENDED	5	–	100
REMAINING	3505	20	7100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished ~~[illegible]~~T. 1500 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0230	1500	12	30	15
1900	2030	1	30	15
2300	2400	1	~~30~~	15
TOTAL FOR DAY		15	—	
TOTAL FOR MONTH		94	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N

0230 - Started fog signal, & gull rocks bell

0400 CHECKED. A/N NOT VIS

0800 MORNING COLORS.

1050 Switched from Elect. Compressor To Emer. compressor

1100 District Inspector Com Woods. Arrived This Unit

1200 Chow down

1300 Murphy & White departed in CG 16585 for Gull Rocks

Group Comm moored in CG 40522

1500 Secured fog horn, Gull Rocks bell, & main Light

1535 White & Murphy Returned unit in 16585

1600 secured station Work checked Vis. A/N

1900 started Main Light Fog horn & Gull Rks Bell

1905 Colors

2230 secured Fog Horn & Gull Rks bell

2300 started Fog horn & Gull Rks bell L A White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 3 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2990	–	69	O/Z	AS/ST	8	2		
0400	SW	1	2996	–	71	O/Z	AS/ST	8	2		
0800	N	2	2997	–	77	BFZ	AS/ST	6	4		
1200	N	2	2998	–	84	BZ	AS/ST	8	8		
1600	SW	2	2996	–	72	OZ	ASST	8	6		
2000	SW	2	2998	–	70	OF	ASST	10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3505	20	7100
EXPENDED	10	–	100
REMAINING	3,495	20	7,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	0700	7	–	15
1900	2400	5	-	15
TOTAL FOR DAY		12	-	
TOTAL FOR MONTH		106	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N Not U/S

0400 All A/N Not U/S

0700 Secured fog horn, main Light & Gull RK'S bell

0800 Morning colors, turned to

0815 CG16585 departed station with White EN-2 for liberty

0845 CG16585 moored station with Adams SA & Supplies off liberty

1130 CG16585 departed station with Murphy FN for liberty

1200 Chow down

1205 CG16585 moored station

1515 CG16585 departed station enroute Newport, mail run

1535 CG16585 moored station with mail

1600 Secured from station work, All A/N U/S

1830 Main Light on

1900 Evening colors, foghorn on & Gull RK'S bell

2000 All A/N Not U/S

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 14 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2992		68	OF	NS	10	0	—	—
0400	SW	2	2994		66	OF	NS	10	0	—	—
0800	SE	2	2900		74	OZ	ASST	10	6	—	—
1200	SW	4	2987		78	OZ	ASST	10	6	—	—
1600	SW	3	2980		78	BC	ASST	10	8	—	—
2000	SW	4	2974		74	BC	ASST	10	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,495	20	7,000
EXPENDED	10	—	200
REMAINING	3,485	20	6,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2400	0630	06	30	
1300	1430	1	30	
TOTAL FOR DAY		8	—	
TOTAL FOR MONTH		114	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N not U/S
0400 All A/N not U/S
0630 Secured Gull RK's bell & foghorn
0645 Main Light off
0800 Morning colors, quarters, turned to
1200 Chow down
1300 Turned to
1300 Main Light on, Gull RK's bell on & foghorn
1430 Secured Main Light, Gull RK's bell & foghorn
1600 Secured station work
1830 Main Light on
1930 Evening colors
2000 All A/N U/S

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 15 September 1961 (Insert day of week, day, month, year) LOCATION Newport R I

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	3	29.54		74	BC	NS	10	8	—	—
0400	SW	8	29.50		72	O/R/Z	NS	10	1	—	—
0800	SW	6	29.60		72	O/Z	NS	10	3	—	—
1200	NW	4	29.67		66	O/Z	NS	10	6	—	—
1600	NW	2	29.72		62	OZ	NS	10	6	—	—
2000	N	2	29.82		60	B	NS	10	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,485	20	6,800
EXPENDED	10	—	200
REMAINING	3,475	20	6,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0500	0600	1	—	15
1100	1200	1	—	15
1300	1330		30	15
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		117	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N Uis
0400 All A/N Uis
0500 Turned on foghorn & Gull RKS' bell
0600 Secured foghorn & Gull RKS' bell
0630 Secured Main Light
0645 Sighted S/V afloat, no POB
0650 Called CG Castle Hill & notified them of S/V afloat
0800 Morning Colors, quarters, turned to
1100 Main Light on, foghorn & Gull RKS' bell on, low visibility
1200 Secured Main Light, Gull RKS' bell & foghorn
1200 Chow down
1300 Turned on main Light, Gull RKS bell & foghorn, low visibility
1330 Secured Main Light, Gull RKS' bell & foghorn
1600 Secured from station work
1830 Turned Main Light on
1900 Colors
2000 All A/N Uis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 16 September 1961 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.90		60	B	NS	10	8	—	—
0400	NW	4	29.94		56	B	NS	10	8	—	—
0800	NW	5	29.96		52	B	NS	10	8	—	—
1200	NW	3	3000		62	B	NS	2	8	—	—
1600	S	1	3004		64	B	NS	1	S		
2000	S	1	30.16		58	B	AS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,475	20	6,600
EXPENDED	10	-	100
REMAINING	3,465	20	6,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		117	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 All A/N Vis
0400 All A/N Vis
0630 Secured Main Light
0800 Morning colors, quarters, turned to
0900 Started Emer. Gen for test
1000 White EN-2 and Murphy FN Returned from Liberty. Roy BM-1 and Adams Departed on Liberty
1200 Secured for Chow
1300 Turn To Station Work
1600 Secured station work
1700 Checked all a/n vis
1830 Main light on
1845 Evening colors
2000 Checked all a/n vis

W. J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 17 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		30.19		60	B	AS/ST	10	8		
0400	N	2	30.29		62	B	ASST	10	8		
0800	WNW	3	30.34		63	B	AS/ST	10	8		
1200	WNW	3	30.39		65	B	ASST	10	8		
1600	N	2	30.39		62	B	ASST	10	8		
2000	N	1	30.41		56	B	ASST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,465	20	6500
EXPENDED	10	—	100
REMAINING	3455	20	6400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		117	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all a/n vis
0400 Checked all a/n vis
0630 Secured Main light
0800 Morning colors, quarters, turned to
1200 Chow down
1300 turned to
1600 Secured from station work
Checked all a/n vis
1830 Main light on
1845 Evening colors
2000 Checked all a/n vis

W. J. Murphy Jr.

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 18 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	30 39		53	BC	ASST	10	8		
0400	N	1	30 38		52	BC	ASST	10	8		
0800	N	1	30.37		55	BC	ASST	10	8		
1200	NE	1	30.33		68	BC	ASST	10	8		
1600	E	1	30 32		65	BC	ASST	10	8		
2000	SW	1	30 31		62	BC	ASST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3455	20	6400
EXPENDED	10	—	100
REMAINING	3445	20	6300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		M7	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all a/n vis

0400 Checked all a/n vis

0630 Main light secured

0800 Morning colors, quarters, turned to

0900 White En2 departed in CG 16585 for mail, chow, + liberty party

0945 White En2 moored in CG16585 with mail, chow, Roy BM1, + Adams SA

1200 Chow down

1300 Turned to

1345 White EN-2 departed station in CG-16585 for liberty

1430 Murhy FN moored station in CG 16585

1530 Received storm warning, set condition IV

1600 Secured from Station work

1700 Checked all a/n vis

1830 Main light on

1845 Evening colors

2000 Checked all a/n vis

W. J. Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 19 September 1961 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3029		58	BC	ASST	10	8		
0400	N	1	3028		59	BC	ASST	10	8		
0800	N	1	3027		60	OZ	ST	10	8		
1200	N	1	3024		72	BC	ST	10	8		
1600	SE	3	30.19		68	BC	ST	10	8		
2000	SE	3	30.20		66	BC	ST	10	5		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3445	20	6300
EXPENDED	10	—	100
REMAINING	3435	20	6200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		117	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all a/n vis
0400 Checked all a/n vis
0630 Main light off
0800 Morning colors, quarters, turned to
0900 Received storm warning, set condition III
1000 CG64309 moored with 150 gals of gas
1030 CG64309 departed station
1200 Chow down
0930 RECALLED WHITE EN-2 FROM LIBERTY
1250 WHITE EN-2 RETURNED TO STATION IN CG40522
1300 Turned to
1600 Secured stations work
1830 Main Light on
1900 Evening colors
2000 AH A/N Vis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Lt. Station

DATE 20 September (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	CALM		30.14	—	60	BC	CB	7	8		
0400	NW	2	30.12	—	61	BC	CB	7	8		
0800	NW	2	30.10	—	62	OZ	CB	7	8		
1200	NW	1	30.04	—	74	BC	~~BC~~ CB	7	8		
1600	NE	3	29.85	—	71	O	CB	7	8		
2000	NE	3	29.90		68	R	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3435	20	6200
EXPENDED	10	—	100
REMAINING	3425	20	6100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		117	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 CHECKED ALL VIS A/N
0400 CHECKED ALL VIS A/N
0630 SECURED MAIN LIGHT
0800 MORNING COLORS
0905 RECEIVED HURRICANE CONDITION 2
1040 REPORTED HURRICANE CONDITION 2
SET TO CASTLE HILL L/B. STATION
1200 Chow down
1300 ~~turned to~~
1600 Secured from station work
1830 Main Light on
1900 Evening colors, Checked A/N vis
2000 Checked All A/N vis
2145 Received Hurricane Condition #1
L. M. Adams SA
~~2200 Murphy & White on watch~~

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 21 September 1961 (Insert day of week, day, month, year) LOCATION Newport R I

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NE	5	29.67		67	R	NS	10	6		
0400	NE	7	29.45		62	R	NS	10	6		
0800	NE	8	29.33		60	R	NS	10	0		
1200	NE	8	29.29		60	R	NS	10	5		
1600	NE	8	29.29		66	R	NS	10	6		
2000	NW	8	29.52		64	O-R	NS	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3425	20	6100
EXPENDED	10	—	100
REMAINING	3415	20	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished CONT Time Lighted CONT

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0300	1830	15	30	15
TOTAL FOR DAY		15	30	
TOTAL FOR MONTH		132	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all a/n vis
0200 Murphy & White off watch
0300 Started fog signal & gull rocks bell
040.0 Checked All A/N NOT U/S
0800 Checked All A/N Not U/S, QUARTERS
0805 Roy & adams. off watch
0806 all hands standing by. on watch.
1200 Chow down
13.00 turned to
16.00 Secured from Station work
*18.30 SECURED FOGHORN & GULL RKS BELL
*1744 CHANGE HURRICANE WARNINGS TO FULL GALE WARNINGS
2100 RESUME NORMAL OPERATIONS STATUS AUTH. OM 202050Z FROM CCGD-1
Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 22 September 1961 (Insert day of week, day, month, year) LOCATION Newport R I

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	4	2958		62	O/R	NS	10	8		
0400	NW		29.60		62	O/R	NS	10	8		
0800	NW		29.70		65	O/R	NS	10	8		
1200	N		29.75		68	O/R	AS	8	8		
1600	N	3	29.82		70	BC	AS	4	8		
2000	NW	2	29.88		63	BC	AS	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3415	20	6000
EXPENDED	10	-	200
REMAINING	3405	20	5,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	4	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		132	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 CHECKED ALL A/N V/S
0400 CHECKED ALL A/N V/S
0638 SECURED MAIN LIGHT
0800 MORNING COLORS
0805 TURNED TO STATION WORK
1130 SECURED. FOR CHOW
1230 TURNED TO STATION WORK.
*1630 CG 40522 ARRIVED STATION
1645 CG 40522 DEPARTED STATION FOR NEWPORT WITH WHITE EN-2 FOR LIBERTY AND CHOW
1700 CG 40522 ARRIVED STATION WITH CHOW
1705 CG 40522 DEPARTED STATION
*1630 CG 40522 PICK UP REFRIGERATOR FOR CASTLE HILL LIFEBOAT STATION
1830 Turned on Main Light, Checked All A/N V/S
1900 Evening colors
2000 Checked All A/N V/S

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 23 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	1	29.90	—	60	O/F	NS	10	2		
0400	N	1	29.91	—	64	O/F	NS	10	0		
0800	N	1	29.92	—	67	O	AS	10	8		
1200	N	1	29.92	—	72	OZ	AS	10	8		
1600	NE	1	29.91		76	BC	AS	10	8		
2000	CALM		29.98		70	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,405	20	5,800
EXPENDED	5	—	200
REMAINING	3,400	20	5,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0800 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0000	0800	08	00	15
TOTAL FOR DAY		8	—	
TOTAL FOR MONTH		146	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked ALL A/N NOT V/S (NORTH) (SOUTH V/S)
0002 TURNED ON FOG HORN & GULL RKS BELL
0400 CHECKED ALL A/N NOT V/S
0800 MORNING COLORS TURNED TO STATION WORK.
0801 SECURED FOG HORN & GULL RKS BELL
1200 Chow down, checked All A/N V/S
1300 Turned to station work
1600 Secured from station work, checked All A/N V/S
1830 TURNED ON MAIN LIGHT

Vincent R. Roy BM-1

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island ~~Lt~~ Light-Station

DATE Sunday 24 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.96		69	OF	NS	10	2		
0400	N	2	29.98		64	O	AS	10	8		
0800	N	2	30.00		66	O	AS	10	8		
1200	N	2	30.00		74	O	AS	10	8		
1600	N	2	29.96		74	O	AS	10	8		
2000	N	3	29.96		72	OF	NS	10	1		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,400	20	5,600
EXPENDED	15	—	100
REMAINING	3385	20	5500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0930 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0930	9	30	15
2000	0000	4	00	15
TOTAL FOR DAY		13	30	
TOTAL FOR MONTH		154	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Turned on foghorn & Gull RK'S bell
Checked All A/N not vis
0400 CHECKED ALL A/N NOT VIS
0800 MORNING COLORS TURNED TO STATION WORK
0930 SECURED. FOG HORN GULLRKS BELL And main LIGHT
1200 Chow down
1300 Turned to station work
1600 Secured from station work
1730 Main Light turned on, checked All A/N vis
1800 Evening colors,
2000 Fog in, foghorn on & Gull RK'S bell
Checked All A/N not vis
0900 Commenced laying tile in kitchen
1600 Secured laying tile in kitchen

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 25 September 1961 (Insert day of week, day, month, year) LOCATION Newport RI

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.96		65	OFR	NS	10	2		
0400	NE	3	29.96		65	OFR	NS	10	2		
0800	NE	4	29.84		64	GO	AS	10	8		
1200	NE	4	29.75		65	OFR	NS	10	2		
1600	NE	2	29.67		68	O	AS	10	2		
2000	NE	2	29.70		67	R	NS	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3385	20	5500
EXPENDED	15	–	100
REMAINING	3370	20	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	2	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0600	06	00	15
0900	1600	07	00	15
1800	2200	4	00	15
TOTAL FOR DAY		17	00	
TOTAL FOR MONTH		171	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N not vis
0400 Checked All A/N not vis
0630 Secured foghorn & Gull RKS' bell
0700 Main Light secured
0800 Morning Colors, quarters, turned to
0900 Fog in, foghorn turned on & Gull RKS' bell
& Main Light
1200 Chow down
1300 Turned to station work
1400 Murphy & White returned from liberty
1410 Roy & Adams departed on liberty
1600 Secured fog horn & gull rocks bell & Main light
1800 Secured from station work
Started fog horn, gull rocks bell & Main light
1815 Evening colors
2200 Secured ~~Main~~ light Fog Horn & Gull RKs. Bell

W J Murphy Fn

CERTIFIED TO BE CORRECT

Vincent P. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 26 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CAlm		2973		60	O	NS	10	8		
0400	SW	1	2972		65	BC	ASST	6	8		
0800	SW	1	2979		70	BC	AS/ST	6	8		
1200	SW	2	29.80		78	BC	AS/ST	6	8		
1600	SW	2	29.82		72	BC	AS/ST	6	8		
2000	SW	2	2997		66	BC	AS/ST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3370	20	5400
EXPENDED	10	—	100
REMAINING	3360	20	5300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0600 Checked all a/n ais
0400 Checked all a/n ais
0630 Secured main light
0800 Morning colors, quarters, turned to
1200 Chow down
1500 turned to
1600 Secured from Station work
1830 Main light on
2000 Checked all a/n ais

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 27 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3001		59	BC	AS/ST	3	8		
0400	SW	1	3006		64	BC	AS/ST	3	8		
0800	SW	1	3009		66	BC	AS/ST	3	8		
1200	SW	1	3009		72	BC	ASST	3	8		
1600	SW	3	30.03		68	BC	ASST	3	8		
2000	SW	3	30.03		66	BC	ASST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3360	20	5300
EXPENDED	10	—	100
REMAINING	3350	20	5,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N

0400 Checked Vis A/N

0630 secured Main Light

0800 Morning colors Turn to station work

1200 Chow down

1300 Turned to station work

1320 White EN-2 departed station in Amesberry enroute Newport for liberty party & supplies

1345 White moored station with liberty party & supplies

1400 White EN-2 departed station enroute Castle Hill with liberty party & ~~electriction~~ civil engineer

1445 CG 36453 moored station with White EN-2

1450 CG 36453 departed station

1415 Roy BM-1 moored station with civil engineer

1600 Secured from station work, Checked All A/N Vis

1800 Main Light ON

1830 Evening colors

2000 Checked All A/N Vis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent P. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE thursday 28 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	29.98		65	BC	ASST	10	8		
0400	SW	3	29.97		66	BC	ASST	10	8		
0800	CAlm		29.96		68	BC	ASST	10	8		
1200	SW	3	29.95		87	BC	ASST	10	8		
1600	SW	3	29.88		68	BC	ASST	10	8		
2000	SW	3	29.90		66	BC	ASST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3350	20	5,200
EXPENDED	10	—	100
REMAINING	3,340	20	5,100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N u's
0400 Checked All A/N u's
0630 Main Light Secured
0800 Morning colors, quarters - turned to
1200 Secured station work - Chow down
1205 Amesberry moored station, special services
1215 Amesberry departed station with White EN-2 for Liberty
1300 Turned to station work
1600 Secured from station work
1800 Main Light on
1830 Evening colors
2000 Checked All A/N u's

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 29 September 1961 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	N	3	29.96		56	BC	ASST	10	8		
0400	N	3	29.98		54	BC	ASST	10	8		
0800	N	3	30.12		56	BC	ASST	10	8		
1200	N	1	30.13		67	BC	ASST	10	8		
1600	SW	2	30.12		65	BC	ASST	10	8		
2000	SW	2	30.14		65	BC	ASST	10	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,340	20	5,100
EXPENDED	10	—	100
REMAINING	3,330	20	5,000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N U's
0400 Checked All A/N U's
0630 Secured Main Light
0800 Morning colors - quarters - turned to station work
1200 Secured from station work - Chow down
1300 Turned to station work
1530 CG40522 moored station with Murphy FN off Liberty
1540 CG40522 departed station enroute Castle Hill LB/S
1600 Secured from station work
1800 Main Light on
1830 Evening colors
2000 Checked All A/N U's

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

100

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 30 September 1961 LOCATION Newport R I
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	30.14		50	BC	ASST	10	8		
0400	CAlm		30.22		55	BC	ASST	10	8		
0800	CAlm		30.28		64	BC	ASST	10	8		
1200	CALm		30.32		68	BC	AS/ST	4	8		
1600	SW	2	30.31		71	BC	AS/ST	4	8		
2000	SW	2	30.31		65	BC	AS ST	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,330	20	5,000
EXPENDED	10	—	100
REMAINING	3,320	20	4,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked All A/N Uis
0400 Checked All A/N Uis
0630 Secured Main Light
0800 Morning colors - quarters - turned to station work
1200 Chow down
1300 Turned to station work
1345 CG40522 moored ~~with~~ station with civil engineer
1440 CG40522 departed station
1600 Secured from station work
1800 Main Light on
1830 Evening colors
2000 Checked All A/N Uis

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)